

# 1. SPINNING MACHINES

## 6.2 – RING SPINNING MACHINES

### 1.6.02.014

#### Ring spinning machine Pegaso

**y.o.c. 2007**

No. 60 spindles – ring size 110 mm – height of the tube 450 mm

Gauge 140 mm

Double draft with arms type SKF mod. PK 1601 modified in PK 101601/S for high performances

Each spindle drive by independent motor

Different set per each section (10 spindles)

Electronic control of the sliver (input)

Electronic control of the yarn (output)

External creel



### 1.6.02.015

#### Ring spinning plant composed by:

##### **No. 1 Cognetex breaker MSC 6 - yoc 2002**

To be sold only with one preparation line.



##### **No. 1 Cognetex preparation line, yoc 1990**

consisting of:

Re-breaker SMC 11V

1.passage SC 11V

2.passage SC 11VA

3.passage SC 22V

Finisher FRC 22



##### **No. 1 Cognetex preparation line, yoc 1994**

consisting of:

Re-breaker SMC 11V

1.passage SC 11V

2.passage SCE 11VA

3.passage SC 22V

Finisher FRC 300/22

1. SPINNING MACHINES  
6.2 – RING SPINNING MACHINES

**No. 6 Cognetex ring frames Idea 73 L – yoc 2002**  
1056 spindles each , ring dia. 51 mm



**No. 3 Savio winder Orion**  
64 positions  
**No. 1 machine yoc 2004**  
**No. 2 machines yoc 2005**



**No. 4 Savio twister Geminis 204B – yoc 2003**  
360 positions each



**No. 2 Stalam dryers RF 40 KW –yoc 2001 – 2002**



**No. 2 Simet re-winder SES-96 – yoc 2001**  
96 positions double side (48 positions each side) 8”



1. SPINNING MACHINES  
**6.2 – RING SPINNING MACHINES**

**No. 2 Loris Bellini package dyeing machines**  
Nat'l BD, 600 kg, - yoc 2002/2003

**No. 1 Loris Bellini sample package dyeing machine**  
Nat'l BU 14, 30 kg - yoc 2002

**No. 4 Dettin centrifuges Brevetto**  
2 machines yoc 1999  
2 machines yoc 2001



**1.6.02.016**

**No. 1 Open-End RIETER Type RU 04 – yoc 1994**

120 positions

Rotor Diameter : 56 mm

RPM : 30.000 /per minute

Paraffined.

Available to produce yarns from NM 3 to NM 14

Daily Capacity : 1.000 kg for NM 14 – 4.000 kg for NM 3



**1.6.02.017**

**No. 1 Open-End SCHLAFHORST Type SE.09 yoc 1996**

240 positions

2 pcs of automatic robot to join the broken yarns

40 mm rotor diameter RPM : 80.000 /per minute

Yarn Production from NE 12 to NE 30

Paraffined



**1.6.02.018**

**No. 2 Open-End RIETER Type BT 903 – yoc 2002**

240 positions per machine

No. 1 machine with Rotor Diameter 46 mm.

No. 1 machine with Rotor Diameter 54 mm

Yarn Production from NE 5 to NE 14.

Paraffined

54 mm rotor diameter RPM 60.000 per minute

Yarn Production from NE 5 to NE 14.



1. SPINNING MACHINES  
**6.2 – RING SPINNING MACHINES**

**1.6.02.019**

**No. 1 Open-End SCHUBERT SALZER Type RL 10**

**y.o.c. 1984**

56 positions

130 mm Rotor diameter

Paraffined

