

2. WINDING, TEXTURIZING and TWISTING MACHINES

4.1 – DOUBLING WINDERS

2.4.01.081

Automatic assembly winder Rite model AER-L

y.o.c. 1999

20 positions - package on tube 8" (200 mm)
External creel for a max of 4 ends
High density cross
BTSR yarn sensors
Yarn cutter
Automatic doffing
Electronic meter counter per head
Individual motor per head
PLC for setting work parameters



2.4.01.082

Automatic assembly winder Rite model ADR-L

y.o.c. 2000

20 positions - package on tube 8" (200 mm)
External creel for a max of 8 ends
High density cross
BTSR yarn sensors
Yarn cutter
Automatic doffing
Electronic meter counter per head
Individual motor per head
PLC for setting work parameters
Mesdan splicer - Magitex blower



2.4.01.084

Automatic assembly winder Rite model RE-FLEX A/L - y.o.c. 2010

20 positions
electronic thread guide with precision crossing angle
- package on tube 8"
- pneumatic control of counterweight (soft packaging) pressure
- electronic yarn winding tension control
- precision digital meter counter per head
External creel for a max of 3 ends



2. WINDING, TEXTURIZING and TWISTING MACHINES

4.1 – DOUBLING WINDERS

2.4.01.085

Assembly winder Fadis Tuan model B.E.

y.o.c. 1995

18 positions

package on tube 8" – max. diam. 220 mm

Internal creel for a max of 2 bobbins per head

Yarn cutter

Electronic meter counter per head

Individual motor per head

MACHINE FULLY OVERHAULED BRAND NEW



2.4.01.086

Assembly winder Fadis Tuan model B.E.

y.o.c. 1988

24 positions

package on tube 8" – max. diam. 220 mm

Internal creel for a max of 2 bobbins per head

Yarn cutter

Electronic meter counter per head

Individual motor per head

Wiring and motors upgraded by Fadis on 2015



2.4.01.087

Assembly winder Bodega model OMP

y.o.c. 1988

36 positions double front (18 positions per side)

package on cylindrical tube 8"

Electronic meter counter per head

External creel for a max of 4 ends per head with stop tex only for 18 heads



2.4.01.088

Assembly winder Corghi model BE 234

y.o.c. 2006

Machine for exposition room – never used

3 positions single front

3 end with internal creel

package on cylindrical tube 8"

Stop at package diameter

Cutting device high speed



2. WINDING, TEXTURIZING and TWISTING MACHINES

4.1 – DOUBLING WINDERS

2.4.01.089

Assembly winder Bodega model OMP

12 positions double front (6 positions per side)
package on cylindrical tube 8"
External creel for a max of 3 ends per head
Meter count for each head



2.4.01.090

Assembly winder Bodega model BO ACC 100A

y.o.c. 1995

27 positions
package on cylindrical tube 8"
Electronic meter counter per head
External creel for a max of 3 ends per head
Automatic doffing
Package Conveyor



2.4.01.091

Assembly winder Bodega model BO AC

y.o.c. 1984

54 positions double front (27 positions per side)
package on cylindrical tube 8"
Electronic meter counter per head
Internal creel for a max of 4 ends per head



2.4.01.092

Assembly winder Bodega model BO ACC 100A

y.o.c. 1996

30 positions
package on cylindrical tube 8"
Electronic meter counter per head
External creel for a max of 3 ends per head with pneumatic threading
Meter count for each head
Automatic doffing
Package Conveyor

