

## 2. WINDING, TEXTURIZING and TWISTING MACHINES

### 4.1 – DOUBLING WINDERS

**2.4.01.087**

#### **Assembly winder Bodega model OMP**

**y.o.c. 1988**

36 positions double front (18 positions per side)  
package on cylindrical tube 8"

Electronic meter counter per head

External creel for a max of 4 ends per head with stop tex  
only for 18 heads



**2.4.01.088**

#### **Assembly winder Corghi model BE 234**

**y.o.c. 2006**

**Machine for exposition room – never used**

3 positions single front

3 end with internal creel

package on cylindrical tube 8"

Stop at package diameter

Cutting device high speed



**2.4.01.089**

#### **Assembly winder Bodega model OMP**

12 positions double front (6 positions per side)  
package on cylindrical tube 8"

External creel for a max of 3 ends per head

Meter count for each head



**2.4.01.090**

#### **Assembly winder Bodega model BO ACC 100A**

**y.o.c. 1995**

27 positions

package on cylindrical tube 8"

Electronic meter counter per head

External creel for a max of 3 ends per head

Automatic doffing

Package Conveyor



## 2. WINDING, TEXTURIZING and TWISTING MACHINES

### 4.1 – DOUBLING WINDERS

**2.4.01.091**

#### **Assembly winder Bodega model BO AC**

**y.o.c. 1984**

54 positions double front (27 positions per side)  
package on cylindrical tube 8"  
Electronic meter counter per head  
Internal creel for a max of 4 ends per head



**2.4.01.092**

#### **Assembly winder Bodega model BO ACC 100A**

**y.o.c. 1996**

30 positions  
package on cylindrical tube 8"  
Electronic meter counter per head  
External creel for a max of 3 ends per head with pneumatic threading  
Meter count for each head  
Automatic doffing  
Package Conveyor



**2.4.01.093**

#### **Assembly winder SSM model DP1-D – yoc 2001**

20 positions  
package on cylindrical tube 8"  
Electronic meter counter per head  
Internal creel for 2 ends  
Meter count for each head  
Automatic doffing  
Package Conveyor  
Vacuum system



**2.4.01.094**

#### **Assembly winder FADIS model TUAN BE**

**yoc 1995**

18 positions  
package on tube 7" / 8" with internal diam. 43 mm  
Internal creel for 2 end  
Max diam. package 220 mm



## 2. WINDING, TEXTURIZING and TWISTING MACHINES

### 4.1 – DOUBLING WINDERS

2.4.01.095

#### **Assembly winder FADIS model BE – yoc 2000 with automatic doffing**

5 positions with package on cylindrical tube 8"  
package Conveyor

Electronic headstock for working parameters

Meter count

External creel for 4 ends

